

STEP 1

Remove all contents from carton.

(NOTE: Check for concealed damage - Notify Carrier of any damages immediately)

STEP 2


• Position sink (upside down) onto counter top surface at desired location. Trace outer edge of Self-Rim with pencil.

(NOTE: Ensure sink is parallel to counter edges. Procedure does not apply to DI-1-30, DI-1-5SP or DI-1-10SP. Refer to chart for Cut Out dimensions.)



<< **CORRECT MARKING PROCEDURE**

Pencil MUST be held straight as possible.




INCORRECT >> MARKING PROCEDURE

• Remove sink and draw a second line 3/8" parallel to the **inside** of the marked line - that will be the **CUT** line (As shown).

• **NOTE: BEFORE CUTTING COUNTER TOP, REFER TO THE CHART TO VERIFY CUTOUT DIMENSIONS!**

REMEMBER: MEASURE TWICE, CUT ONCE!



• Drill 1/4" hole 1 to the inside of cut line then use 1/2" drill bit to enlarge hole.

• Apply masking tape along outer (sink edge) line. This will prevent damaging countertop while cutting.

• Position jig saw blade into 1/2" hole and follow CUT LINE.

STEP 3

• Install Drain - Apply a bead of Plumber's Putty as shown.




1/4" continuous bead of Plumber's Putty.

← Rubber Washer
← Fiber Washer
← Die Cast Nut

STEP 4

• Install Faucet (as shown).



STEP 5

• Remove masking tape from counter surface and position sink into opening to ensure proper fit.



STEP 6

• Remove sink from opening and apply 1/4" bead sealant along edge of cut out.

• Install sink into counter top.

• Insert slotted end of screw thru clearance hole in clip and secure by turning Counter-Clockwise.

• Slide clip into end of Roll Form track (As Shown) and position where desired and hand tighten. Once all clips are in position, tighten with screwdriver -

DO NOT OVERTIGHTEN!

• Wipe excess Silicone from counter surface.



STEP 7

• Connect Drain and Faucet supply lines.



EDGEWOOD, NY 11717-8380

© ADVANCE TABCO, June 2005



INSTALLATION INSTRUCTIONS for DROP-IN SINKS



**CHECK FOR CONCEALED DAMAGE
FILE CLAIM WITH FREIGHT CARRIER**

Drop-ins manufactured by **ADVANCE TABCO** are designed and constructed for countertop installations. Only one compartment units intended for HAND SINK USE are NSF listed and approved. Suggested end use for drop-in sinks include dump sinks, bar sinks, wash sinks and hand sinks.

This Carton Contains:

- 1 ea. Sink Bowl
 Basket Type Drain (sub assembly)
 (see chart).
 Faucet (sub assembly) (see chart).
 Mounting Clips (see chart).

TOOLS REQUIRED:

- Drill Motor
- 1/4" - 1/2" Drill Bits
- Long Shank Screw Driver
- Ruler or Tape Measure
- Pencil
- Adjustable Wrenches (2)
- Pipe Wrench
- Saber Saw or Jig Saw

MATERIAL REQUIRED:

- Silicone Sealant
- Plumbers Putty
- Masking Tape


RECOMMENDED SAFETY MATERIALS:

- Safety Glasses
- Work Gloves

NOTE:

The corners of ALL Cutouts are to have a **1-1/4"** Radius.

U Channel
Installation



LENGTH IS LEFT TO RIGHT

WIDTH IS FRONT TO BACK

MODEL #	Bowl Dim. L x W x D	Overall Dim. L x W	Cutout Size 1 1/4" Radius	# Faucets	# Drains	# Clips	Ship Weight
DI-1-5	10 x 14 x 5	13 x 19	12 1/4 x 18 1/4	1	1	8	9 lbs.
DI-1-5SP	10 x 14 x 5	13 x 19	12 1/4 x 18 1/4	1	1	4	13 lbs.
†† DI-1-9	9 x 9 x 3	12 x 14	11 1/4 x 13 1/4	1	1	8	8 lbs.
DI-1-10	10 x 14 x 10	13 x 19	12 1/4 x 18 1/4	1	1	8	11 lbs.
DI-1-10SP	10 x 14 x 10	13 x 19	12 1/4 x 18 1/4	1	1	4	18 lbs.
DI-1-25	9 x 9 x 5	12 x 14	11 1/4 x 13 1/4	1	1	8	8 lbs.
DI-1-30	14 x 10 x 5	16 x 15	15 x 14 1/4	1	1	4	11 lbs.
DI-1-35	14 x 10 x 5	17 x 15	16 1/4 x 14 1/4	1	1	8	8 lbs.
DI-1-168	16 x 14 x 8	19 x 19	18 1/4 x 18 1/4	1	1	12	15 lbs.
* DI-1-208	20 x 16 x 8	23 x 21	22 1/4 x 20 1/4	1	1	12	29 lbs.
* DI-1-2012	20 x 16 x 12	23 x 21	22 1/4 x 20 1/4	1	1	12	25 lbs.
** DI-1-2812	28 x 20 x 12	31 x 25	30 1/4 x 24 1/4	1	1	12	42 lbs.
* DI-2-10	10 x 14 x 10	25 1/2 x 19	24 3/4 x 18 1/4	1	2	12	20 lbs.
* DI-2-1410	14 x 16 x 10	33 1/2 x 21	32 3/4 x 20 1/4	1	2	12	33 lbs.
* DI-2-2012	20 x 16 x 12	45 1/2 x 21	44 3/4 x 20 1/4	1	2	16	40 lbs.
* DI-2-208	20 x 16 x 8	45 1/2 x 21	44 3/4 x 20 1/4	1	2	16	29 lbs.
* DI-3-10	10 x 14 x 10	38 x 19	37 1/4 x 18 1/4	2	3	16	32 lbs.
* DI-3-1410	16 x 14 x 10	50 x 21	49 1/4 x 20 1/4	2	3	16	52 lbs.
* DI-3-1612	16 x 20 x 12	56 x 25	55 1/4 x 24 1/4	2	3	16	60 lbs.

SUPPLIED WITH K-52 GOOSENECK FAUCET
 †† SUPPLIED WITH WATER FILLER FAUCET & GRATING
 *SUPPLIED WITH K-50 FAUCET
 **SUPPLIED WITH K-53 FAUCET WITH 12 SPOUT



U Channel
Installation




LENGTH IS LEFT TO RIGHT

WIDTH IS FRONT TO BACK

SMART SERIES™

MODEL #	Bowl Dim. L x W x D	Overall Dim. L x W	Cutout Size 1 1/4" Radius	# Faucets	# Drains	# Clips	Ship Wt.
SS-1-1715-7	14 x 10 x 7 1/2	17 x 15	16 1/4 x 14 1/4	1	1	8	12
SS-1-1715-10	14 x 10 x 10	17 x 15	16 1/4 x 14 1/4	1	1	8	14
SS-1-1919-7	16 x 14 x 7 1/2	19 x 19	18 1/4 x 18 1/4	1	1	12	16
SS-1-1919-10	16 x 14 x 10	19 x 19	18 1/4 x 18 1/4	1	1	12	18
SS-1-1919-12	16 x 14 x 12	19 x 19	18 1/4 x 18 1/4	1	1	12	20
SS-1-2321-7	20 x 16 x 7 1/2	23 x 21	22 1/4 x 20 1/4	1	1	12	20
SS-1-2321-10	20 x 16 x 10	23 x 21	22 1/4 x 20 1/4	1	1	12	22
SS-1-2321-12	20 x 16 x 12	23 x 21	22 1/4 x 20 1/4	1	1	12	25
SS-2-3321-7	14 x 16 x 7 1/2	33 1/2 x 21	32 3/4 x 20 1/4	1	2	12	33
SS-2-3321-10	14 x 16 x 10	33 1/2 x 21	32 3/4 x 20 1/4	1	2	12	35
SS-2-3321-12	14 x 16 x 12	33 1/2 x 21	32 3/4 x 20 1/4	1	2	12	37
SS-2-4521-7	20 x 16 x 7 1/2	45 1/2 x 21	44 3/4 x 20 1/4	1	2	12	38
SS-2-4521-10	20 x 16 x 10	45 1/2 x 21	44 3/4 x 20 1/4	1	2	12	39
SS-2-4521-12	20 x 16 x 12	45 1/2 x 21	44 3/4 x 20 1/4	1	2	12	40

U Channel
Installation



Faucet &
Bubbler
Optional

SMART SERIES™ For the Classroom

LENGTH IS LEFT TO RIGHT

WIDTH IS FRONT TO BACK

MODEL #	Bowl Dim. L x W	O.A. Dim. L x W	Cutout Size 1 1/4" Radius	Faucet Holes Left Right	# Clips	Ship Weight
SCH-2317	16 x 14 x 7 1/2	23 x 17	22 1/4 x 16 1/4	1 1	8	16
SCH-1-2517L	16 x 14 x 7 1/2	25 x 17	24 1/4 x 16 1/4	3 1	12	18
SCH-1-2517R	16 x 14 x 7 1/2	25 x 17	24 1/4 x 16 1/4	1 3	12	18